

DECLARATIE DE CONFORMITATE/DECLARATION OF CONFORMITY

Nr./No. DoC_F67426_5036581068325_3_RO

1. **Cod unic de identificare al produsului-tip/Unique identification code of the product-type:**
MOZAIC PENTRU PERETI SI PARDOSELI/WALL AND FLOOR MOSAIC TILE
2. **Tipul, lotul sau numarul de serie sau orice alt element care permite identificarea produsului pentru constructii/Type, batch or serial number or any other element allowing identification of the construction product:**
numarul lotului si codul EAN sunt inscriptionate pe ambalaj conform Anexa I/the batch number and the EAN code are written on the package according to Annex I
3. **Utilizarea sau utilizarile preconizate ale produsului pentru constructii/Intended use or uses of the construction product:**
- mozaicul alcatuit din placute ceramice presate uscat (Grupa Bla) fixate pe un suport de plasa, se foloseste pentru placarea peretilor si pardoselilor la interiorul constructiilor/the mosaic made of dry pressed ceramic tiles (Group Bla) fixed on a mesh support, is used for cladding walls and floors inside buildings.
4. **Numele, denumirea sociala sau marca inregistrata si adresa de contact a fabricantului/Name, registered trade name or registered trademark and contact address of the manufacturer:**
Kingfisher International Products B.V.
Rapenburgerstraat 175E, 1011 VM Amsterdam, The Netherlands
5. **Numele si adresa de contact a reprezentantului autorizat/Name and contact address of the authorised representative (where applicable):** -
6. **Conformitatea este demonstrata avand ca referinta/The conformity is demonstrated with the reference:**

AGREMENTUL TEHNIC IN CONSTRUCTII NR. 002-04/1618-2023

7. **Performantele produselor/Products performances:**

Caracteristici/Characteristics	U.M	Standard incercari/Clasificare Test standard/Classification	Nivel de referinta/ Reference level	Valori declarate (rezultate incercari)/ Declared values (test results)
<i>Placi mozaic pentru pereti/Wall mosaic tiles GoodHome, MOS 30x30 VERRE BLC GRIS NOIR cod: N-17 bis (M19), EAN 3663602994343</i>				
Material/Material	-	-	Sticla/Glass	
Lungime placa/Tile length	mm	-	300 ± 3	297
Latime placa/Tile width	mm	-	300 ± 3	297
Greutate placa/Tile weight	kg	-	0.755 ± 0.075	0.752
Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	-	23 23
Grosime placuta/ Small plaque thickness:	mm	-	4 ± 0.5	4.09
Distanta dintre placute/Distance between the small plaques:	mm	-	2± 0.5	2
Numar placute pe o placa/Number of small plaques on a board:	-	-	144	144
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	1.13 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic

Rezistentă la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				
Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> Trentie Mosaic 30x30 White cod: M1E13, EAN 5036581064594				
Material/Material	-	-	Ceramica/Ceramic	
Lungime placa/Tile length	mm	-	298 ± 3	296
Latime placa/Tile width	mm	-	298 ± 3	296
Greutate placa/Tile weight	kg	-	0.96 ± 0.096	0.985
Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	- -	48 23
Grosime placuta/Small plaque thickness:	mm	-	6±0.5	6.2
Distanta dintre placute/Distance between the small plaques:	mm	-	2± 0.5	2
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	72
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	1.20 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistentă la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				

Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> <i>MOS 30x30 MIX VERR.PIERRE NOIR</i> cod: N-13 (M8), EAN: 3663602994268				
Material/Material	-	-	Sticla/Piatra Glass/Stone	
Lungime placa/Tile length	mm	-	300 ± 3	298
Latime placa/Tile width	mm	-	300 ± 3	298
Greutate placa/Tile weight	kg	-	1.36 ± 0.136	1.389
Dimensiuni placuta/Small plaque dimensions:	mm	-	-	14.6
- lungime/length			-	14.6
- latime/width				
Grosime placuta/Small plaque thickness:	mm	-	8±0.5	8
Distanta dintre placute/Distance between the small plaques:	mm	-	1.7 ± 0.5	1.7
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	324
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	1.16 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods):	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari
- apa/water				
- cafea/coffee				
- cola				
- ulei/oil				
- otet/vinegar				
- vin rosu/red wine				
- inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite				
- solutie de curatare/cleaning solution Cilit Bang				Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		

* Adeziv/Adhesive CERESIT CM 25

Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> <i>MOS 30X30 PIERRE BASALTE NOIRS</i> cod: N-6 (M1), EAN 3663602994190				
Material/Material	-	-	Sticla/Otel inoxidabil Glass/Stainless steel	
Lungime placa/Tile length	mm	-	300 ± 3	298
Latime placa/Tile width	mm	-	300 ± 3	298
Greutate placa/Tile weight	kg	-	1.227± 0.123	1.234
Dimensiuni placuta/ Small plaque dimensions:	mm	-	-	15
- lungime/length			-	15
- latime/width				
Grosime placuta/Small plaque thickness:	mm	-	8±0.5	7.86
Distanta dintre placute/Distance between the small plaques:	mm	-	1.7± 0.5	1.7

Numar placute pe o placa/Number of small plaques on a board:	-	-	-	324
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	1.05 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				
Placi mozaic pentru pereti si pardoseli/Wall and flooring mosaic tiles <i>GoodHome</i> MOS 32x32CM MARBRE MIX BEIGE PC cod: N-14 (M10) EAN: 3663602994275				
Material/Material	-	-	Marmura/Marble	
Lungime placa/Tile length	mm	-	300 ± 3	300
Latime placa/Tile width	mm	-	300 ± 3	300
Greutate placa/Tile weight	kg	-	1.405± 0.141	1.320
Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	- -	14.8 14.8
Grosime placuta/Small plaque thickness:	mm	-	8±0.5	7.81
Distanta dintre placute/Distance between the small plaques:	mm	-	1.7± 0.5	1.7
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	324
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	1.18 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari

- inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang				Fara modificari/ without changes
Rezistența la alunecare/Slip resistance**: - unghiul critic/critical angle (α)	0	CEN/TS 16165:2016, Anexa A	>24 (Clasa C)	32.1 (Clasa C)
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				
Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> Lizon Mosaic 30x30 Blue cod: MG19, EAN 5036581068332				
Material/Material	-	-	Sticla/Aluminiu Glass/Aluminium	
Lungime placa/Tile length	mm	-	298 ± 3	296
Latime placa/Tile width	mm	-	298 ± 3	296
Greutate placa/Tile weight	kg	-	1.300 ± 0.13	1.287
Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	- -	22 22
Grosime placuta/Small plaque thickness:	mm	-	8±0.5	8.03
Distanta dintre placute/Distance between the small plaques:	mm	-	2± 0.5	2
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	144
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	1.10 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				
Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> MOS 30X30 JADA IX DRT MARRON cod: KFOUO-AL04 (M2), EAN: 3663602994206				
Material/Material	-	-	Aluminiu/Aluminium	
Lungime placa/Tile length	mm	-	(316-300) ±3	315 - 297
Latime placa/Tile width	mm	-	304 ± 3	303
Greutate placa/Tile weight	kg	-	0.355 ± 0.034	0,329

Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	-	146; 93; 46 14
Grosime placuta/Small plaque thickness:	mm	-	8±0.5	8.2
Distanta dintre placute/Distance between the small plaques:	mm	-	2± 0.5	2
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	54
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	0.60 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				
Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> Faros Mosaic 30x30 Grey cod: MG18, EAN 5036581068325				
Material/Material	-	-	Sticla laminata/Laminated glass	
Lungime placa/Tile length	mm	-	298 ± 3	298
Latime placa/Tile width	mm	-	298 ± 3	298
Greutate placa/Tile weight	kg	-	1.440 ± 0.144	1.447
Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	- -	23 23
Grosime placuta/Small plaque thickness:	mm	-	8±0.5	8.18
Distanta dintre placute/Distance between the small plaques:	mm	-	2± 0.5	2
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	144
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	0.61 Rupere adeziva intre adeziv si mozaic/ Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari

- otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang				Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				
Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> Manza Mosaic 30x30 Black cod: MA6, EAN: 5036581068547				
Material/Material	-	-	Otel inoxidabil/Stainless steel	
Lungime placa/Tile length	mm	-	298 ±3	298
Latime placa/Tile width	mm	-	298 ± 3	298
Greutate placa/Tile weight	kg	-	1.18 ± 0.19	1.240
Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	- -	46 46
Grosime placuta/Small plaque thickness:	mm	-	9±0.5	8.7
Distanta dintre placute/Distance between the small plaques:	mm	-	2± 0.5	2
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	36
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	0.40 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				
Placi mozaic pentru pereti/Wall mosaic tiles <i>GoodHome</i> Enaide Mosaic 30x30 Copper Hex cod: MA4, EAN 5036581068523				
Material/Material	-	-	Alama/Brass	
Lungime placa/Tile length	mm	-	299 ±3	297
Latime placa/Tile width	mm	-	296 ± 3	295
Greutate placa/Tile weight	kg	-	1.1 ± 0.11	1.132
Dimensiuni placuta/ Small plaque dimensions: - lungime/length - latime/width	mm	-	- -	47 40

Grosime placuta/Small plaque thickness:	mm	-	8±0.5	8.2
Distanta dintre placute/Distance between the small plaques:	mm	-	2± 0.5	2
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	56
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	0.56 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		

* Adeziv/Adhesive CERESIT CM 25

Placi mozaic pentru pereti/Wall mosaic tiles *GoodHome*
MOS30X30 BENITO ALU BEIGE cod: LADS29 (M13), EAN 3663602994305

Material/Material	-	-	Sticla/Piatra/Otel inoxidabil Glass/Sone/Stainless steel	
Lungime placa/Tile length	mm	-	300 ±3	298
Latime placa/Tile width	mm	-	300 ± 3	298
Greutate placa/Tile weight	kg	-	1.211 ± 0.12	1.211
Dimensiuni placuta/ Small plaque dimensions:	mm	-		
- lungime/length			-	15
- latime/width			-	15
Grosime placuta/Small plaque thickness:	mm	-	8±0.5	8
Greutate placuta/Small plaque weight:	g	-	-	6.70
Distanta dintre placute/Distance between the small plaques:	mm	-	1.7± 0.5	1.7
Numar placute pe o placa/Number of small plaques on a board:	-	-	-	324
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	-	1.04 Rupere adeziva intre adeziv si mozaic/Adhesive failure between adhesive and mosaic
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari

- inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang				Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class	-	performanta nedeterminata/undetermined performance		
* Adeziv/Adhesive CERESIT CM 25				


8. Denumirea si adresa laboratorului care a efectuat incercarile/Name and identification of the laboratory which performed the tests:

LABORATORUL CENTRAL S.A. - București, str. Barbu Vacarescu nr. 162, sector 2

**Laborator Intertek Testing Services - China.

Aceasta declaratie de conformitate este emisa pe raspunderea exclusiva a fabricantului identificat la punctul 4./This declaration of conformity is issued under the sole responsibility of the manufacturer identified in point 4.

Semnata pentru si in numele fabricantului de catre/Signed for and on behalf of the manufacturer by:



David Awe

Group Quality Director

Paddington, 18/09/2023

Anexa I/Annex I

EAN 3663602994343	EAN 5036581064600
EAN 5036581063191	EAN 3663602994268
EAN 5036581063207	EAN 3663602994329
EAN 5036581063214	EAN 3663602994374
EAN 3663602994251	EAN 3663602994336
EAN 3663602994381	EAN 3663602994244
EAN 5036581063221	EAN 3663602994190
EAN 5036581063955	EAN 3663602994367
EAN 5036581063948	EAN 5036581068479
EAN 5036581063931	EAN 5036581068486
EAN 5036581064211	EAN 3663602994275
EAN 5036581063986	EAN 5036581066819
EAN 5036581063962	EAN 5036581066918
EAN 5036581063979	EAN 5036581066925
EAN 5036581063184	EAN 5036581066826
EAN 3663602994237	EAN 5036581066932
EAN 5036581068318	EAN 5036581066833
EAN 3663602994350	EAN 5036581065416
EAN 5036581064594	EAN 5036581068332