DECLARATIE DE CONFORMITATE/DECLARATION OF CONFORMITY
Nr./No. DoC_B46946_5036581094379_1_RO

1. **Cod unic de identificare al produsului-tip/**Unique identification code of the product-type:
   Placi compozite pentru pardoseli/Composite decking boards

2. **Tipul, lotul sau numarul de serie sau orice alt element care permite identificarea produsului** pentru constructii/Type, batch or serial number or any other element allowing identification of the construction product:
   numarul lotului si codul EAN sunt inscriptionate pe ambalaj conform Anexa I/the batch number and the EAN code are written on the package according to Annex I

3. **Utilizarea sau utilizarile preconizate ale produsului pentru constructii/**Intended use or uses of the construction product:
   Placi compozite pentru pardoseli de exterior/Composite decking boards for outdoor flooring

4. **Numele, denumirea sociala sau marca inregistrata si adresa de contact a fabricantului/**Name, registered trade name or registered trademark and contact address of the manufacturer:
   Kingfisher International Products B.V.
   Rapenburgerstraat 175E, 1011 VM Amsterdam
   The Netherlands

5. **Numele si adresa de contact a reprezentantului autorizat/**Name and contact address of the authorised representative (where applicable): -

6. **Conformitatea este demonstrata avand ca referinta/**The conformity is demonstrated with the reference:
   EN 15534-4:2014

7. **Performanta produselor:** tabel caracateristici/performanţe determinate
   Product performance: characteristics table/determined performances

Caracteristici/Characteristics	U.M.	Standard incercari/ Test standard	Nivel de referinţa/ Reference level	Valori declarate (rezultate incercari)/ Declared values (test results)
Placi de pardoseala compozite/Composite decking boards - Neva				
Dimensiuni/Dimensions: EAN 5036581094379 (antracit/anthracite) EAN 5036581094430 (maro/brown) - lungime/length - latime/width - inaltime/height	 mm mm mm	EN 15534-1 6.6.2	 2200 ± 10 145 ± 1 21 ± 0.5	 2200 145 21
Dimensiuni/Dimensions: EAN 5036581094386 (antracit/anthracite) EAN 5036581094447 (maro/brown) - lungime/length - latime/width - inaltime/height	 mm mm mm	EN 15534-1 6.6.2	 3000 ± 10 145 ± 1 21 ± 0.5	 3000 145 21

Masa liniara/Linear mass: EAN 5036581094379/EAN 5036581094386 (antracit/ anthracite) EAN 5036581094430/5036581094447 (maro/brown)	kg/m	EN 15534-1 6.5	min. 2 min. 2	2.261 2.254
Densitate/Density: EAN 5036581094379/EAN 5036581094386 (antracit/ anthracite) EAN 5036581094430/5036581094447 (maro)	kg/m^3	EN ISO 1183-1 Metoda A	1300±10 % 1300±10 %	1313 1314
Rezistenta la impact/Impact resistance (T = -10^{0}C): - masa/mass (1 kg); - inaltimea de cadere/falling hight (700 mm) EAN 5036581094379/EAN 5036581094386 (antracit/ anthracite) EAN 5036581094430/5036581094447 (maro/brown)	-	EN 15534-1 7.1.2	amprenta, fara fisuri/mark, without cracks	amprenta, fara fisuri/mark, without cracks
Rezistenta la incovoiere/Bending resistance: EAN 5036581094379/EAN 5036581094386 (antracit/ anthracite) - forta de rupere/destructive force; - deformatia/deflection EAN 5036581094430/5036581094447 (maro/brown) - forta de rupere/destructive force; - deformatia/deflection	 N mm N mm	EN 15534-1 7.3.1	 ≥ 3000 ≤ 2 ≥ 3000 ≤ 2	 3496 1.38 3254 1.46
Umflare dupa imersare in apa/Swelling after water immersion (24 h) EAN 5036581094379/EAN 5036581094386 (antracit/ anthracite) - lungime/length; - latime/width; - grosime/thickness EAN 5036581094430/5036581094447 (maro/brown) - lungime/length; - latime/width; - grosime/thickness	 % % % % % %	EN 15534-1 8.3.1	 ≤ 0.4 ≤ 0.08 ≤ 4 ≤ 0.4 ≤ 0.08 ≤ 4	 0.017 0.021 0.240 0.041 0.040 0.336
Absorbtia de apa (24 h) EAN 5036581094379/EAN 5036581094386 (antracit/ anthracite) EAN 5036581094430/5036581094447 (maro/brown)	%	EN 15534-1 8.3.1	 ≤ 7 ≤ 7	 0.627 1.202
Rezistenta la intemperii artificiale/Resistance to artificial weathering (300 ore/hours) EAN 5036581094379/EAN 5036581094386 (antracit/ anthracite) EAN 5036581094430/5036581094447 (maro/brown)	ΔE	EN 15534-1 8.1.1	< 15 < 15	0.5 2.0
Rezistenta la decolorare microfungi/Resistance against discolouring micro-fungi EAN 5036581094379	clasa	EN 15534-1 8.5.5	0 Nicio decolorare vizibila. Rezistent la infestare cu mucegai/ No visible discoloration. Resistant to mold infestation	0 Nicio decolorare vizibila. Rezistent la infestare cu mucegai/ No visible discoloration. Resistant to mold infestation

Kingfisher International Products B.V.
Rapenburgerstraat 175E, 1011 VM Amsterdam
The Netherlands
Website www.kingfisher.com

Profil drept/Straight profile - Neva				
Dimensiuni/Dimensions: EAN 5036581094393 (antracit/anthracite) EAN 5036581094454 (maro/brown) - lungime/length - latime/width - inaltime/height	 mm mm mm	EN 15534-1 6.6.2	 2200 ± 10 52 ± 1 8 ± 0.5	 2200 52 8
Masa liniara/Linear mass: EAN 5036581094393 (antracit/anthracite) EAN 5036581094454 (maro/brown)	kg/m	EN 15534-1 6.5	 min. 0.5 min. 0.5	 0.522 0.527
Densitate/Density: EAN 5036581094393 (antracit/anthracite) EAN 5036581094454 (maro/brown)	kg/m^3	EN ISO 1183-1 Metoda A	 1300±10 % 1300±10 %	 1341 1341
Profil/Profile L - Neva				
Dimensiuni/Dimensions: EAN 5036581094423 (antracit/anthracite) EAN 5036581094478 (maro/brown) - lungime/length - latime/width - inaltime/ height	 mm mm mm	EN 15534-1 6.6.2	 2200 ± 10 40 ± 0.5 50 ± 1	 2200 40 50
Masa liniara/Linear mass: EAN 5036581094423 (antracit/anthracite) EAN 5036581094478 (maro/brown)	kg/m	EN 15534-1 6.5	 min. 0.6 min. 0.6	 0.647 0.653
Densitate/Density: EAN 5036581094423 (antracit/anthracite) EAN 5036581094478 (maro/brown)	kg/m^3	EN ISO 1183-1 Metoda A	 1300±10 % 1300±10 %	 1342 1343
Placi de pardoseala compozite/Composite decking boards - Areto				
Dimensiuni/Dimensions: EAN 5036581094355 (gri deschis/light grey) EAN 5036581094348 (gri inchis/dark grey) - lungime/length - latime/width - inaltime/heigh	 mm mm mm	EN 15534-1 6.6.2	 2050 ± 10 120 ± 1 21 ± 0.5	 2050 120 21
Masa liniara/Linear mass: EAN 5036581094355 (gri deschis/light grey) EAN 5036581094348 (gri inchis/dark grey)	kg/m	EN 15534-1 6.5	 min. 2.2 min. 2.2	 2.281 2.261
Densitate/Density: EAN 5036581094355 (gri deschis/light grey) EAN 5036581094348 (gri inchis/dark grey)	kg/m^3	EN ISO 1183-1 Metoda A	 1400±10% 1400±10%	 1441 1395
Rezistenta la impact/Impact resistance (t=-10^{0}C): EAN 5036581094355 (gri deschis/light grey) EAN 5036581094348 (gri inchis/dark grey) - masa/mass (1 kg); - inaltimea de cadere/falling hight (700 mm)	-	EN 15534-1 7.1.2	 amprenta, fara fisuri/mark, without cracks	 amprenta, fara fisuri/mark, without cracks
Rezistenta la incovoiere/Bending resistance: EAN 5036581094355 (gri deschis/light grey) - forta de rupere/destructive force; - deformatia/deflection EAN 5036581094348 (gri inchis/dark grey) - forta de rupere/destructive force; - deformatia/deflection	 N mm 	 SR EN 15534-1 7.3.1	 ≥ 3000 ≤ 2 ≥ 3000 ≤ 2	 3024 1.56 3465 1.59

Kingfisher International Products B.V.
Rapenburgerstraat 175E, 1011 VM Amsterdam
The Netherlands
Website www.kingfisher.com

Umflare dupa imersare in apa/Swelling after water immersion (24 h) EAN 5036581094355 (gri deschis/light grey) - lungime/length; - latime/width; - grosime/thickness EAN 5036581094348 (gri inchis/dark grey) - lungime/length; - latime/width; - grosime/thickness	 % % % % % %	EN 15534-1 8.3.1	 ≤ 0.4 ≤ 0.08 ≤ 4 ≤ 0.4 ≤ 0.08 ≤ 4	 0.015 0.025 0.038 0.040 0.107 0.085
Absorbtia de apa (24 h) EAN 5036581094355 (gri deschis/light grey) EAN 5036581094348 (gri inchis/dark grey)	%	SR EN 15534-1 8.3.1	 ≤ 7 ≤ 7	 0.475 0.634
Rezistenta la intemperii artificiale/Resistance to artificial weathering EAN 5036581094355 (gri deschis/light grey) EAN 5036581094348 (gri inchis/dark grey)	ΔE	SR EN 15534-1 8.1.1		 2.4 1.4

8. **Denumirea si adresa laboratorului care a efectuat incercarile**/Name and identification of the laboratory which performed the tests:

- Instytut Technologi Idrewna/Wood Technology Instutute, ul. Winiarska 1, 60-654 Poznan - Polonia;
- Intertek Testing Services Shenzhen Ltd. Shanghai Fengxian Branch, Plant 5, no. 6958 Daye Road, Fengxian District, Shanghai, China.

Aceasta declaratie de conformitate este emisa pe raspunderea exclusiva a fabricantului identificat la punctul 4.

This declaration of conformity is issued under the sole responsibility of the manufacturer identified in point 4.

Semnata pentru si in numele fabricantului de catre/Signed for and on behalf of the manufacturer by:

David Awe

Group Quality Director

Paddington, 19.09.2022
Rev. 1/2022

Anexa I/Annex I

Neva EAN code	Profil L
Placi de pardoseala compozite/Composite decking boards	5036581094423 (antracit/anthracite)
5036581094379 (antracit/anthracite)	5036581094478 (maro/brown)
5036581094386 (antracit/anthracite)	3663602442851 (ciocolatiu/chocolate)
5036581094430 (maro/brown)	
5036581094447(maro/brown)	
3663602948124 (ciocolatiu/chocolate)	**Areto EAN code**
Profil drept/Straight profile	Placi de pardoseala compozite/ Composite decking boards
5036581094393 (antracit/anthracite)	5036581094355 (gri deschis/light grey)
5036581094454 (maro/brown)	5036581094348 (gri inchis/dark grey)